

N
Ö



S eed potatoes

CATALOGUE OF VARIETIES

2020/2021



Nieder-
Österreichische
Saatbaugenossenschaft



reg. Genossenschaft mit beschränkter Haftung

Central Office:
Meires 25
3841 Windigsteig

Testing Station:
Naglern 1
2113 Karnabrunn

IMPORTANT NUMBERS:

CENTRAL OFFICE, MEIRES:

Phone: +43 2842 524 02
Fax: +43 2842 524 02-41
Mail: meires@noes.at
Web: www.noes.at

DIRECT DIALS:

Ext.

Office:	Ms. Knoll knoll@noes.at	
Sales dep.:	DI Buxbaum buxbaum@noes.at	13
	Mr. Ing. Scharf scharf@noes.at	12
Accounting:	Mr. Litschauer litschauer@noes.at	14
Company Management:		
	DI Fuchs mobile: +43 664 133 62 18	20
	Ing. Herynek mobile: +43 664 11 22 105	17

TESTING STATION, NAGLERN:

(incl. Member's Support, region Leiser Berge)

Mr. Bauer Phone: +43 2576 29 10
 Fax: +43 2576 29 10-12
 mobile: +43 664 11 22 106
 Mail: naglern@noes.at

MEMBER'S SUPPORT (other regions):

Waidhofen/Gmünd Mr. Nigischer
 mobile: +43 664 11 22 109
 Fax: +43 2842 538 28
 nigischer@noes.at

Zwettl Mr. Kolm
 mobile: +43 664 11 22 108
 Fax: +43 2822 543 29-14
 kolm@noes.at

Freistadt Mr. Kloiber
 Phone: +43 2842 524 02
 kloiber@noes.at

All NÖS-breedings on one sight

From our current programme:

"Year of entry in stud book"	variety	biggest cultivation area	
		hektar	year
1956	N. Kipfler	10	1976
1973	Hermes	245	1992
1989	Romina	53	2001
1989	Ditta	423	2008
1993	Bionta	8	1996
1995	Evita	50	2008
1998	Roko	23	2008
2002	Tosca	121	2017
2006	Fabiola	51	2014
2008	Erika	71	2011
2009	Martina	16	2017
2011	Alonso	17	2017
2011	Diego	8	2016
2012	Bosco	14	2016
2012	Marizza	5	2017
2013	Valdivia	116	2020
2013	Trabant	23	2018
2014	Sokrates	7	2018
2014	Xerxes	22	2020
2015	Meireska	9	2018
2017	Graziosa	11	2020
2018	Pepino	2	2020
2019	Herbstgold	3	2020
2019	Chiara	2	2020
2019	Siegfried	3	2020
2019	Sixtus	4	2020

Actually there are 26 of our own varieties occupying 704 hektar in sum, these are about 54 % of the total area.

Nieder-
Österreichische
Saatbaugenossenschaft



A-3841 Meires 25 Tel.: 02842/52402 Fax 52402-41

ALONSO

mainly firm cooking



ALONSO

Breeder: NÖS

Maturity: middle early

Tuber characteristics:

Shape: round oval

Colour of skin: yellow

Colour of flesh: yellow

Size: medium to large

Number: medium

Depth of eyes: flat

Susceptibility to diseases:

Wart: resistant to pathotype 1

Nematodes: resistant to Ro1 and Ro4

Leaf roll virus: low

Virus Y: very low

Foliage blight: medium

Tuber blight: low

Common scab: low to medium

Rhizoctonia: low

Utilisation:

Mainly firm cooking table potato

Remarks:

Early tuber setting, therefore early harvest is possible;
for early harvest it should be presprouted

Nieder-
Österreichische
Saatbaugenossenschaft



A-3841 Meires 25 Tel.: 02842/52402 Fax 52402-41

BIONTA

mainly firm cooking



BIONTA

Breeder: NÖS

Maturity: late

Tuber characteristics:

Shape: round oval

Colour of skin: yellow

Colour of flesh: yellow

Size: medium to large

Number: medium to high

Depth of eyes: flat to medium

Susceptibility to diseases:

Wart: susceptible

Nematodes: resistant to Ro1 and Ro4

Leaf roll virus: medium

Virus Y: resistant

Foliage blight: low

Tuber blight: low

Common scab: medium

Rhizoctonia: low to medium

Utilisation:

Table potato, mainly firm cooking

Remarks:

High yield potential; very good for storage; one of the best varieties in reference to Phytophthora


Nieder-
Österreichische
Saatbaugenossenschaft



A-3841 Meires 25 Tel.: 02842/52402 Fax 52402-41

BOSCO

mealy cooking



BOSCO

Breeder: NÖS

Maturity: middle early

Tuber characteristics:

Shape: round oval to oval

Colour of skin: yellow

Colour of flesh: yellow

Size: large

Number: medium

Depth of eyes: flat

Susceptibility to diseases:

Wart: resistant to pathotype 1

Nematodes: resistant to Ro1 and Ro4

Leaf roll virus: medium

Virus Y: very low

Foliage blight: low to medium

Tuber blight: low

Common scab: low

Rhizoctonia: low

Utilisation:

Mealy firm cooking table potato;
especially for dumplings and puree

Remarks:

Very regular in size


Nieder-
Österreichische
Saatbaugenossenschaft



A-3841 Meires 25 Tel.: 02842/52402 Fax 52402-41

CHIARA

mainly firm cooking



CHIARA

Breeder: NÖS

Maturity: middle early

Tuber characteristics:

Shape: oval to round oval

Colour of skin: yellow

Colour of flesh: dark yellow

Size: medium to large

Number: medium

Depth of eyes: flat

Susceptibility to diseases:

Wart: resistant to pathotype 1

Nematodes: resistant to Ro1 and Ro4

Leaf roll virus: low to medium

Virus Y: very low

Foliage blight: low to medium

Tuber blight: low

Common scab: low to medium

Rhizoctonia: low

Utilisation:

Mainly firm cooking table potato

Remarks:

Small plant but potential to high yield


Nieder-
Österreichische
Saatbaugenossenschaft



A-3841 Meires 25 Tel.: 02842/52402 Fax 52402-41

DIEGO

mealy cooking



DIEGO

Breeder: NÖS

Maturity: late

Tuber characteristics:

Shape: oval to long oval

Colour of skin: yellow

Colour of flesh: light yellow to creme

Size: large

Number: medium

Depth of eyes: flat

Susceptibility to diseases:

Wart: susceptible

Nematodes: resistant to Ro1 and Ro4

Leaf roll virus: low

Virus Y: very low

Foliage blight: low to medium

Tuber blight: low to medium

Common scab: low

Rhizoctonia: low

Utilisation:

Especially for french fries

Remarks:

High dormancy, therefore suitable for long storage


Nieder-
Österreichische
Saatbaugenossenschaft



A-3841 Meires 25 Tel.: 02842/52402 Fax 52402-41

DITTA

firm cooking



DITTA

Breeder: NÖS

Maturity: middle early

Tuber characteristics:

Shape: long oval

Colour of skin: yellow

Colour of flesh: yellow

Size: medium to large

Number: medium to high

Depth of eyes: flat

Susceptibility to diseases:

Wart: resistant to pathotype 1

Nematodes: resistant to Ro1 and Ro4

Leaf roll virus: medium

Virus Y: low to medium

Foliage blight: medium

Tuber blight: low

Common scab: low to medium

Rhizoctonia: low to medium

Utilisation:

Table potato; suitable for many kinds of preparation; also for salad

Remarks:

Fine taste; very good for storage; long dormancy; tubers should be stimulated to sprouting before planting


Nieder-
Österreichische
Saatbaugenossenschaft



A-3841 Meires 25 Tel.: 02842/52402 Fax 52402-41

ERIKA

firm cooking



ERIKA

Breeder: NÖS

Maturity: early

Tuber characteristics:

Shape: long oval

Colour of skin: yellow

Colour of flesh: light yellow to yellow

Size: medium

Number: medium to high

Depth of eyes: flat

Susceptibility to diseases:

Wart: susceptible

Nematodes: resistant to Ro1 and Ro4

Leaf roll virus: low

Virus Y: very low

Foliage blight: medium

Tuber blight: low

Common scab: low

Rhizoctonia: low

Utilisation:

Firm cooking table potato

Remarks:

Beautiful skin; in spite of earliness good suitability for storage

Nieder-
Österreichische
Saatbaugenossenschaft



A-3841 Meires 25 Tel.: 02842/52402 Fax 52402-41

EVITA

firm cooking



EVITA

Breeder: NÖS

Maturity: middle early

Tuber characteristics:

Shape: round oval to oval

Colour of skin: yellow

Colour of flesh: yellow to dark yellow

Size: medium to large

Number: medium

Depth of eyes: flat

Susceptibility to diseases:

Wart: resistant to pathotype 1

Nematodes: resistant to Ro1 and Ro4

Leaf roll virus: medium

Virus Y: medium to low

Foliage blight: medium

Tuber blight: low

Common scab: medium

Rhizoctonia: low

Utilisation:

Firm cooking variety; nearly no discolouration after cooking; suitable for many purposes

Remarks:

Good for storage; very regular in size and shape


Nieder-
Österreichische
Saatbaugenossenschaft



A-3841 Meires 25 Tel.: 02842/52402 Fax 52402-41

FABIOLA

mainly firm cooking



FABIOLA

Breeder: NÖS

Maturity: middle early to middle late

Tuber characteristics:

Shape: oval
Colour of skin: red
Colour of flesh: yellow
Size: medium to large
Number: medium to high
Depth of eyes: flat

Susceptibility to diseases:

Wart: resistant to pathotype 1
Nematodes: resistant to Ro1 and Ro4
Leaf roll virus: medium
Virus Y: low
Foliage blight: medium
Tuber blight: low to medium
Common scab: low
Rhizoctonia: low

Utilisation:

Mainly firm cooking table potato

Remarks:

Very high yield potential; very regular in size; good for storage


Nieder-
Österreichische
Saatbaugenossenschaft



A-3841 Meires 25 Tel.: 02842/52402 Fax 52402-41

GRAZIOSA

firm cooking



GRAZIOSA

Breeder: NÖS

Maturity: early to middle early

Tuber characteristics:

Shape: long
Colour of skin: yellow
Colour of flesh: yellow
Size: medium
Number: high
Depth of eyes: flat

Susceptibility to diseases:

Wart: resistant to pathotype 1
Nematodes: resistant to Ro1 and Ro4
Leaf roll virus: low
Virus Y: very low
Foliage blight: medium
Tuber blight: low
Common scab: low
Rhizoctonia: low

Utilisation:

Firm cooking table potato; special salad-potato

Remarks:

Nice skin; very fine taste

Nieder-
Österreichische
Saatbaugenossenschaft



A-3841 Meires 25 Tel.: 02842/52402 Fax 52402-41

HERBSTGOLD

mainly firm cooking



HERBSTGOLD

Breeder: NÖS

Maturity: middle late

Tuber characteristics:

Shape: oval to round oval

Colour of skin: yellow

Colour of flesh: yellow

Size: medium to large

Number: medium

Depth of eyes: flat

Susceptibility to diseases:

Wart: resistant to pathotype 1

Nematodes: resistant to Ro1 and Ro4

Leaf roll virus: low to medium

Virus Y: very low

Foliage blight: low to medium

Tuber blight: low

Common scab: low to medium

Rhizoctonia: low

Utilisation:

Mainly firm cooking table potato

Remarks:

Regular in size, resistant against heat and dryness

Nieder-
Österreichische
Saatbaugenossenschaft



A-3841 Meires 25 Tel.: 02842/52402 Fax 52402-41

HERMES

mealy cooking



HERMES

Breeder: NÖS

Maturity: middle early

Tuber characteristics:

Shape: round oval

Colour of skin: yellow

Colour of flesh: yellow

Size: medium to large

Number: medium

Depth of eyes: medium

Susceptibility to diseases:

Wart: resistant to pathotype 1

Nematodes: susceptible

Leaf roll virus: low to medium

Virus Y: low to medium

Foliage blight: medium

Tuber blight: low

Common scab: low to medium

Rhizoctonia: low

Utilisation:

Mealy cooking table potato, very good suitability for chips and purée

Remarks:

Rather early with high starch content

Nieder-
Österreichische
Saatbaugenossenschaft



A-3841 Meires 25 Tel.: 02842/52402 Fax 52402-41

MARIZZA

mainly firm cooking



MARIZZA

Breeder: NÖS

Maturity: middle early

Tuber characteristics:

Shape: oval

Colour of skin: red

Colour of flesh: yellow

Size: large

Number: medium

Depth of eyes: flat

Susceptibility to diseases:

Wart: resistant to pathotype 1

Nematodes: resistant to Ro1 and Ro4

Leaf roll virus: medium

Virus Y: very low

Foliage blight: low to medium

Tuber blight: low to medium

Common scab: low

Rhizoctonia: low

Utilisation:

Mainly firm cooking table potato

Remarks:

Intensive red colouration; very regular in size


Nieder-
Österreichische
Saatbaugenossenschaft



A-3841 Meires 25 Tel.: 02842/52402 Fax 52402-41

MARTINA

mainly firm cooking



MARTINA

Breeder: NÖS

Maturity: middle early

Tuber characteristics:

Shape: oval to longoval

Colour of skin: yellow

Colour of flesh: light yellow

Size: medium to large

Number: medium to high

Depth of eyes: flat

Susceptibility to diseases:

Wart: susceptible

Nematodes: resistant to Ro1 and Ro4

Leaf roll virus: low

Virus Y: very low

Foliage blight: medium to low

Tuber blight: low

Common scab: low to medium

Rhizoctonia: low

Utilisation:

Mainly firm cooking table potato

Remarks:

Regular shape, nice skin, suitable for organic farming

Nieder-
Österreichische
Saatbaugenossenschaft



A-3841 Meires 25 Tel.: 02842/52402 Fax 52402-41

MEIRESKA

mainly firm cooking



MEIRESKA

Breeder: NÖS

Maturity: early to middle early

Tuber characteristics:

Shape: oval
Colour of skin: red
Colour of flesh: light yellow
Size: medium to large
Number: medium
Depth of eyes: flat

Susceptibility to diseases:

Wart: susceptible
Nematodes: resistant to Ro1 and Ro4
Leaf roll virus: low
Virus Y: very low
Foliage blight: medium
Tuber blight: low to medium
Common scab: low
Rhizoctonia: low

Utilisation:

Mainly firm cooking table potato

Remarks:

Stable tuber shape; very good cooking quality

Nieder-
Österreichische
Saatbaugenossenschaft



A-3841 Meires 25 Tel.: 02842/52402 Fax 52402-41

NAGLERNER KIPFLER

firm cooking



NAGLERNER KIPFLER

Breeder: NÖS

Maturity: middle early

Tuber characteristics:

Shape: long, kidney-shaped
Colour of skin: yellow
Colour of flesh: yellow to light yellow
Size: medium
Number: high
Depth of eyes: flat to medium

Susceptibility to diseases:

Wart: susceptible
Nematodes: susceptible
Leaf roll virus: medium
Virus Y: high
Foliage blight: very high
Tuber blight: medium
Common scab: low to medium
Rhizoctonia: low to medium

Utilisation:

Extremely firm cooking table potato, special salad-potato

Remarks:

Regularly treatment against foliage blight is absolutely necessary

Nieder-
Österreichische
Saatbaugenossenschaft



A-3841 Meires 25 Tel.: 02842/52402 Fax 52402-41

PEPINO

mainly firm cooking



PEPINO

Breeder: NÖS

Maturity: early to middle early

Tuber characteristics:

Shape: round oval to round

Colour of skin: yellow

Colour of flesh: yellow

Size: medium

Number: medium to high

Depth of eyes: flat

Susceptibility to diseases:

Wart: susceptible

Nematodes: resistant to Ro1 and Ro4
(for both highest number 9)

Leaf roll virus: low to medium

Virus Y: low

Foliage blight: medium

Tuber blight: low

Common scab: low

Rhizoctonia: low

Utilisation:

Mainly firm cooking table potato

Remarks:

Because of high proportion of medium size and very nice skin suitable for small packages.

Nieder-
Österreichische
Saatbaugenossenschaft



A-3841 Meires 25 Tel.: 02842/52402 Fax 52402-41

ROKO

mainly firm cooking



ROKO

Breeder: NÖS

Maturity: middle early

Tuber characteristics:

Shape: oval

Colour of skin: dark red

Colour of flesh: cream

Size: medium to large

Number: medium

Depth of eyes: flat

Susceptibility to diseases:

Wart: resistant to pathotype 1

Nematodes: resistant to Ro1

Leaf roll virus: medium

Virus Y: very low

Foliage blight: medium

Tuber blight: low

Common scab: low to medium

Rhizoctonia: low

Utilisation:

Good table potato, mainly firm cooking, slightly mealy

Remarks:

Interesting taste; very regular in size and shape; good for storage

Nieder-
Österreichische
Saatbaugenossenschaft



A-3841 Meires 25 Tel.: 02842/52402 Fax 52402-41

ROMINA

mainly firm cooking



ROMINA

Breeder: NÖS

Maturity: early

Tuber characteristics:

Shape: round oval

Colour of skin: yellow

Colour of flesh: light yellow

Size: medium to large

Number: medium

Depth of eyes: flat

Susceptibility to diseases:

Wart: resistant to pathotype 1

Nematodes: resistant to Ro1

Leaf roll virus: low to medium

Virus Y: medium

Foliage blight: medium

Tuber blight: low to medium

Common scab: low

Rhizoctonia: medium

Utilisation:

Table potato, also suitable for the production of french fries and chips

Remarks:

Fine taste, very regular in size and shape, sensible to long periods of drought

Nieder-
Österreichische
Saatbaugenossenschaft



A-3841 Meires 25 Tel.: 02842/52402 Fax 52402-41

SIEGFRIED

mealy cooking



SIEGFRIED

Breeder: NÖS

Maturity: middle late

Tuber characteristics:

Shape: round oval

Colour of skin: yellow

Colour of flesh: light yellow

Size: medium

Number: medium

Depth of eyes: medium

Susceptibility to diseases:

Wart: resistant to pathotype 1

Nematodes: resistant to Ro1 and Ro4

Leaf roll virus: medium

Virus Y: very low

Foliage blight: low to medium

Tuber blight: low

Common scab: low to medium

Rhizoctonia: low

Utilisation:

Chips and puree

Remarks:

Quick development in juvenile stage, late tuber setting

Nieder-
Österreichische
Saatbaugenossenschaft



A-3841 Meires 25 Tel.: 02842/52402 Fax 52402-41

SIXTUS



SIXTUS

Breeder: NÖS

Maturity: late

Tuber characteristics:

Shape: round oval

Colour of skin: yellow

Colour of flesh: light yellow to cream

Size: medium to large

Number: medium

Depth of eyes: medium

Susceptibility to diseases:

Wart: resistant to pathotype 1

Nematodes: resistant to Ro1 and Ro4

Leaf roll virus: low

Virus Y: very low

Foliage blight: low to medium

Tuber blight: low

Common scab: low to medium

Rhizoctonia: low to medium

Utilisation:

Starch potato

Remarks:

Stable in starch yield, resistant against heat and dryness


Nieder-
Österreichische
Saatbaugenossenschaft



A-3841 Meires 25 Tel.: 02842/52402 Fax 52402-41

SOKRATES

mealy cooking



SOKRATES

Breeder: NÖS

Maturity: middle early to middle late

Tuber characteristics:

Shape: long oval

Colour of skin: yellow

Colour of flesh: light yellow to yellow

Size: large

Number: low to medium

Depth of eyes: flat to medium

Susceptibility to diseases:

Wart: susceptible

Nematodes: resistant to Ro1 and Ro4

Leaf roll virus: low

Virus Y: medium

Foliage blight: low to medium

Tuber blight: low

Common scab: low to medium

Rhizoctonia: low

Utilisation:

Mealy cooking table potato, especially for french fries

Remarks:

Very regular in shape, good for storage

Nieder-
Österreichische
Saatbaugenossenschaft



A-3841 Meires 25 Tel.: 02842/52402 Fax 52402-41

TOSCA

mainly firm cooking



TOSCA

Breeder: NÖS

Maturity: middle early to middle late

Tuber characteristics:

Shape: oval
Colour of skin: yellow
Colour of flesh: yellow
Size: medium to large
Number: medium
Depth of eyes: flat

Susceptibility to diseases:

Wart: susceptible
Nematodes: not susceptible to Ro1 and Ro4
Leaf roll virus: low
Virus Y: medium
Foliage blight: medium
Tuber blight: low
Common scab: low
Rhizoctonia: low

Utilisation:

Mainly firm cooking table potato

Remarks:


Very good for storage; very regular in size and shape; excellent for packing

Nieder-
Österreichische
Saatbaugenossenschaft



A-3841 Meires 25 Tel.: 02842/52402 Fax 52402-41

TRABANT



TRABANT

Breeder: NÖS

Maturity: middle late to late

Tuber characteristics:

Shape: round oval to round

Colour of skin: yellow

Colour of flesh: light yellow

Size: medium

Number: medium to high

Depth of eyes: flat to middle

Susceptibility to diseases:

Wart: resistant to pathotype 1

Nematodes: resistant to Ro1 to Ro5

Leaf roll virus: low to medium

Virus Y: very low

Foliage blight: low

Tuber blight: very low

Common scab: low

Rhizoctonia: low to medium

Utilisation:

Starch potato

Remarks:

Regular in size; good for storage; stable yields


Nieder-
Österreichische
Saatbaugenossenschaft



A-3841 Meires 25 Tel.: 02842/52402 Fax 52402-41

VALDIVIA

firm cooking



VALDIVIA

Breeder: NÖS

Maturity: middle early

Tuber characteristics:

Shape: long oval

Colour of skin: yellow

Colour of flesh: yellow

Size: medium

Number: high

Depth of eyes: flat

Susceptibility to diseases:

Wart: susceptible

Nematodes: resistant to Ro1 to Ro5

Leaf roll virus: low

Virus Y: very low

Foliage blight: medium

Tuber blight: low

Common scab: low

Rhizoctonia: low

Utilisation:

Firm cooking table potato, special salad-potato

Remarks:


Nice skin, regular in size and shape

Nieder-
Österreichische
Saatbaugenossenschaft



A-3841 Meires 25 Tel.: 02842/52402 Fax 52402-41

XERXES



XERXES

Breeder: NÖS

Maturity: late

Tuber characteristics:

Shape: round oval

Colour of skin: yellow

Colour of flesh: white

Size: medium

Number: medium to high

Depth of eyes: flat to middle

Susceptibility to diseases:

Wart: susceptible

Nematodes: resistant to Ro1 and Ro4

Leaf roll virus: low

Virus Y: very low

Foliage blight: low to medium

Tuber blight: low

Common scab: low

Rhizoctonia: low

Utilisation:

Starch potato

Remarks:

Regular in size; good for storage

NOTES

NOTES

