

N
Ö
S
eed potatoes



CATALOGUE OF VARIETIES

2022/2023



**Nieder-
Österreichische
Saatbaugenossenschaft**



registrierte Genossenschaft mit beschränkter Haftung

Central Office:
**Meires 25
3841 Windigsteig**

Testing Station:
**Naglern 1
2113 Karnabrunn**

IMPORTANT NUMBERS

CENTRAL OFFICE, MEIRES

Phone: +43 2842 52402

Mail: meires@noes.at

Web: www.noes.at

Office

Maria Knoll

Phone: +43 2842 52402 10

Mail: knoll@noes.at

Company Management:

DI Michael Buxbaum

Phone: +43 2842 52402 11

Mobile: +43 664 1122107

Mail: buxbaum@noes.at

Sales dep.:

Ing. Patrick Scharf

Phone: +43 2842 52402 12

Mobile: +43 664 1855204

Mail: scharf@noes.at

Anja Gastinger, Bed

Phone: +43 2842 52402 19

Mail: gastinger@noes.at

Accounting

Herbert Litschauer

Phone: +43 2842 52402 14

Mail: litschauer@noes.at

Breeding

DI Susanne Kirchmaier

Phone: +43 2842 52402 15

Mobile: +43 664 2335436

Mail: kirchmaier@noes.at

MEMBER'S SUPPORT

LEISER BERGE

Testing Station, Naglern

Phone: +43 2576 2910

Fax: +43 2576 2910 12

Mail: naglern@noes.at

Georg Kloiber

Mobile: +43 664 1122106

Mail: kloiber@noes.at

MEMBER'S SUPPORT

Gmünd/Waidhofen:

Harald Binder

Mobile: +43 664 1122109

Mail: binder@noes.at

Zwettl:

Manfred Kolm

Mobile: +43 664 1122108

Fax: +43 22 54329-14

Mail: kolm@noes.at

Oberösterreich:

Georg Kloiber

Mobile: +43 664 1122106

Mail: kloiber@noes.at

Overview of all N Ö S – breedings

From our current programme:

„Year of entry in stud book!“	variety	biggest cultivation area	
		hektar	year
1956	N. Kipfler	10	1976
1973	Hermes	245	1992
1989	Romina	53	2001
1989	Ditta	423	2008
1993	Bionta	8	1996
1995	Evita	50	2008
1998	Roko	23	2008
2002	Tosca	121	2017
2006	Fabiola	51	2014
2008	Erika	71	2011
2009	Martina	16	2017
2011	Alonso	17	2017
2011	Diego	8	2016
2012	Bosco	14	2016
2012	Marizza	7	2022
2013	Valdivia	116	2020
2013	Trabant	25	2018
2014	Sokrates	7	2018
2014	Xerxes	22	2020
2015	Meireska	9	2018
2017	Graziosa	12	2021
2018	Pepino	4	2021
2019	Herbstgold	4	2021
2019	Chiara	10	2022
2019	Siegfried	5	2022
2019	Sixtus	8	2022
2020	Longinus	3	2022
2021	Nöstling	2	2022
2021	Meichip	2	2022

Right now there are 28 of our own varieties occupying 635 ha in sum, these are about 50 % of the total area.

**Nieder-
Österreichische
Saatbaugenossenschaft**



registrierte Genossenschaft mit beschränkter Haftung

Meires 25, 3841 Windigsteig, Österreich

T +43 2842 52402 F +43 2842 52402 41

meires@noes.at www.noes.at

ALONSO

mainly firm cooking



ALONSO

Breeder: NÖS
Maturity: middle early

Tuber characteristics:

Form round oval
Colour of skin yellow
Colour of flesh yellow
Size medium to large
Number medium
Depth of eyes flat

Susceptibility to diseases:

Wart resistant to pathotype 1
Nematodes resistant to Ro1 and Ro4
Leaf roll virus low
Virus Y very low
Foliage blight medium
Tuber blight low
Common scab low to medium
Rhizoctonia low

Utilisation:

mainly firm cooking table potato

Remarks:

early tuber setting, therefore early harvest is possible;
for early harvest it should be presprouted

**Nieder-
Österreichische
Saatbaugenossenschaft**



registrierte Genossenschaft mit beschränkter Haftung

Meires 25, 3841 Windigsteig, Österreich

T +43 2842 52402 F +43 2842 52402 41

meires@noes.at www.noes.at

BIONTA

mainly firm cooking



BIONTA

Breeder: NÖS
Maturity: late

Tuber characteristics:

Form round oval
Colour of skin yellow
Colour of flesh yellow
Size medium to large
Number medium to high
Depth of eyes flat to medium

Susceptibility to diseases:

Wart susceptible
Nematodes resistant to Ro1 and Ro4
Leaf roll virus medium
Virus Y resistant
Foliage blight low
Tuber blight low
Common scab medium
Rhizoctonia low to medium

Utilisation:

mainly firm cooking table potato

Remarks:

high yield potential; very good for storage; one of the best varieties in reference to Phytophthora

**Nieder-
Österreichische
Saatbaugenossenschaft**



registrierte Genossenschaft mit beschränkter Haftung

Meires 25, 3841 Windigsteig, Österreich

T +43 2842 52402 F +43 2842 52402 41

meires@noes.at www.noes.at

BOSCO

floury cooking



BOSCO

Breeder: NÖS
Maturity: middle early

Tuber characteristics:

Form round oval to oval
Colour of skin yellow
Colour of flesh yellow
Size large
Number medium
Depth of eyes flat

Susceptibility to diseases:

Wart resistant to pathotype 1
Nematodes resistant to Ro1 and Ro4
Leaf roll virus medium
Virus Y very low
Foliage blight low to medium
Tuber blight low
Common scab low
Rhizoctonia low

Utilisation:

floury table potato; especially for dumplings and puree

Remarks:

very regular in size

**Nieder-
Österreichische
Saatbaugenossenschaft**



registrierte Genossenschaft mit beschränkter Haftung


Meires 25, 3841 Windigsteig, Österreich

T +43 2842 52402 F +43 2842 52402 41

meires@noes.at www.noes.at

CHIARA

mainly firm cooking



CHIARA

Breeder: NÖS
Maturity: middle early

Tuber characteristics:

Form oval to round oval
Colour of skin yellow
Colour of flesh dark yellow
Size medium to large
Number medium
Depth of eyes flat

Susceptibility to diseases:

Wart resistant to pathotype 1
Nematodes resistant to Ro1 and Ro4
Leaf roll virus low to medium
Virus Y very low
Foliage blight low to medium
Tuber blight low
Common scab low to medium
Rhizoctonia low

Utilisation:

mainly firm cooking table potato

Remarks:

small plant but potential to high yield



registrierte Genossenschaft mit beschränkter Haftung


Meires 25, 3841 Windigsteig, Österreich

T +43 2842 52402 F +43 2842 52402 41

meires@noes.at www.noes.at

DIEGO

floury cooking



DIEGO

Breeder: NÖS
Maturity: late

Tuber characteristics:

Form oval to long oval
Colour of skin yellow
Colour of flesh light yellow to cream
Size large
Number medium
Depth of eyes flat

Susceptibility to diseases:

Wart susceptible
Nematodes resistant to Ro1 and Ro4
Leaf roll virus low
Virus Y very low
Foliage blight low to medium
Tuber blight low to medium
Common scab low
Rhizoctonia low

Utilisation:

especially for french fries

Remarks:

high dormancy, therefore suitable for long storage

**Nieder-
Österreichische
Saatbaugenossenschaft**



registrierte Genossenschaft mit beschränkter Haftung


Meires 25, 3841 Windigsteig, Österreich

T +43 2842 52402 F +43 2842 52402 41

meires@noes.at www.noes.at

DITTA

firm cooking



DITTA

Breeder: NÖS
Maturity: middle early

Tuber characteristics:

Form long oval
Colour of skin yellow
Colour of flesh yellow
Size medium to large
Number medium to high
Depth of eyes flat

Susceptibility to diseases:

Wart resistant to pathotype 1
Nematodes resistant to Ro1 and Ro4
Leaf roll virus medium
Virus Y low to medium
Foliage blight medium
Tuber blight low
Common scab low to medium
Rhizoctonia low to medium

Utilisation:

table potato: suitable for many kinds of preparation; also for salad

Remarks:

fine taste; very good for storage; long dormancy; tubers should be stimulated to sprouting before planting

**Nieder-
Österreichische
Saatbaugenossenschaft**



registrierte Genossenschaft mit beschränkter Haftung


Meires 25, 3841 Windigsteig, Österreich

T +43 2842 52402 F +43 2842 52402 41

meires@noes.at www.noes.at

ERIKA

firm cooking



ERIKA

Breeder: NÖS
Maturity: early

Tuber characteristics:

Form long oval
Colour of skin yellow
Colour of flesh light yellow to yellow
Size medium
Number medium to high
Depth of eyes flat

Susceptibility to diseases:

Wart susceptible
Nematodes resistant to Ro1 and Ro4
Leaf roll virus low
Virus Y very low
Foliage blight medium
Tuber blight low
Common scab low
Rhizoctonia low

Utilisation:

firm cooking table potato

Remarks:

beautiful skin; in spite of earliness good suitability for storage

**Nieder-
Österreichische
Saatbaugenossenschaft**



registrierte Genossenschaft mit beschränkter Haftung

Meires 25, 3841 Windigsteig, Österreich

T +43 2842 52402 F +43 2842 52402 41

meires@noes.at www.noes.at

EVITA

firm cooking



EVITA

Breeder: NÖS
Maturity: middle early

Tuber characteristics:

Form round oval to oval
Colour of skin yellow
Colour of flesh yellow to dark yellow
Size medium to large
Number medium
Depth of eyes flat

Susceptibility to diseases:

Wart resistant to pathotype 1
Nematodes resistant to Ro1 and Ro4
Leaf roll virus medium
Virus Y medium to low
Foliage blight medium
Tuber blight low
Common scab medium
Rhizoctonia low

Utilisation:

firm cooking variety; nearly no discoloration after cooking; suitable for many purposes

Remarks:

good for storage; very regular in size and shape

**Nieder-
Österreichische
Saatbaugenossenschaft**



registrierte Genossenschaft mit beschränkter Haftung


Meires 25, 3841 Windigsteig, Österreich

T +43 2842 52402 F +43 2842 52402 41

meires@noes.at www.noes.at

FABIOLA

mainly firm cooking



FABIOLA

Breeder: NÖS
Maturity: middle early to middle late

Tuber characteristics:

Form oval
Colour of skin red
Colour of flesh dark yellow
Size medium to large
Number medium to high
Depth of eyes flat

Susceptibility to diseases:

Wart resistant to pathotype 1
Nematodes resistant to Ro1 and Ro4
Leaf roll virus medium
Virus Y low
Foliage blight medium
Tuber blight low to medium
Common scab low
Rhizoctonia low

Utilisation:

mainly firm cooking table potato

Remarks:

very high yield potential; very regular in size;
good for storage

**Nieder-
Österreichische
Saatbaugenossenschaft**



registrierte Genossenschaft mit beschränkter Haftung


Meires 25, 3841 Windigsteig, Österreich

T +43 2842 52402 F +43 2842 52402 41

meires@noes.at www.noes.at

GRAZIOSA

firm cooking



GRAZIOSA

Breeder: NÖS
Maturity: early to middle early

Tuber characteristics:

Form long
Colour of skin yellow
Colour of flesh yellow
Size medium
Number high
Depth of eyes flat

Susceptibility to diseases:

Wart resistant to pathotype 1
Nematodes resistant to Ro1 and Ro4
Leaf roll virus low
Virus Y very low
Foliage blight medium
Tuber blight low
Common scab low
Rhizoctonia low

Utilisation:

firm cooking table potato; especially salad-potato

Remarks:

nice skin; very fine taste

**Nieder-
Österreichische
Saatbaugenossenschaft**



registrierte Genossenschaft mit beschränkter Haftung

Meires 25, 3841 Windigsteig, Österreich

T +43 2842 52402 F +43 2842 52402 41

meires@noes.at www.noes.at

HERBSTGOLD

mainly firm cooking



HERBSTGOLD

Breeder: NÖS
Maturity: middle late

Tuber characteristics:

Form oval to round oval
Colour of skin yellow
Colour of flesh yellow
Size medium to large
Number medium
Depth of eyes flat

Susceptibility to diseases:

Wart resistant to pathotype 1
Nematodes resistant to Ro1 and Ro4
Leaf roll virus low to medium
Virus Y very low
Foliage blight low to medium
Tuber blight low
Common scab low to medium
Rhizoctonia low

Utilisation:

mainly firm cooking table potato

Remarks:

regular in size, resistant against heat and dryness

**Nieder-
Österreichische
Saatbaugenossenschaft**



registrierte Genossenschaft mit beschränkter Haftung

Meires 25, 3841 Windigsteig, Österreich

T +43 2842 52402 F +43 2842 52402 41

meires@noes.at www.noes.at

HERMES

floury cooking



HERMES

Breeder: NÖS
Maturity: middle early

Tuber characteristics:

Form round oval
Colour of skin yellow
Colour of flesh yellow
Size medium to large
Number medium
Depth of eyes medium

Susceptibility to diseases:

Wart resistant to pathotype 1
Nematodes susceptible
Leaf roll virus low to medium
Virus Y low to medium
Foliage blight medium
Tuber blight low
Common scab low to medium
Rhizoctonia low

Utilisation:

floury table potato, very good suitability for crisping and puree

Remarks:

rather early with high starch content

**Nieder-
Österreichische
Saatbaugenossenschaft**



registrierte Genossenschaft mit beschränkter Haftung


Meires 25, 3841 Windigsteig, Österreich

T +43 2842 52402 F +43 2842 52402 41

meires@noes.at www.noes.at

LONGINUS

floury cooking



LONGINUS

Breeder: NÖS
Maturity: middle late

Tuber characteristics:

Form longoval to long
Colour of skin yellow
Colour of flesh cream to light yellow
Size large
Number medium
Depth of eyes flat

Susceptibility to diseases:

Wart resistant to pathotype 1
Nematodes resistant to Ro1
Leaf roll virus low
Virus Y very low
Foliage blight low to medium
Tuber blight low
Common scab low
Rhizoctonia low to medium

Utilisation:

floury table potato, especially for french fries

Remarks:

comparatively high starch content in relation to whole French Fries-assortment; in spite of length with stable shape of tuber

**Nieder-
Österreichische
Saatbaugenossenschaft**



registrierte Genossenschaft mit beschränkter Haftung

Meires 25, 3841 Windigsteig, Österreich

T +43 2842 52402 F +43 2842 52402 41

meires@noes.at www.noes.at

MARIZZA

mainly firm cooking



MARIZZA

Breeder: NÖS
Maturity: middle early

Tuber characteristics:

Form oval
Colour of skin red
Colour of flesh yellow
Size large
Number medium
Depth of eyes flat

Susceptibility to diseases:

Wart resistant to pathotype 1
Nematodes resistant to Ro1 and Ro4
Leaf roll virus medium
Virus Y very low
Foliage blight low to medium
Tuber blight low to medium
Common scab low
Rhizoctonia low

Utilisation:

mainly firm cooking table potato

Remarks:

intensive red coloration; very regular in size

**Nieder-
Österreichische
Saatbaugenossenschaft**



registrierte Genossenschaft mit beschränkter Haftung


Meires 25, 3841 Windigsteig, Österreich

T +43 2842 52402 F +43 2842 52402 41

meires@noes.at www.noes.at

MARTINA

mainly firm cooking



MARTINA

Breeder: NÖS
Maturity: middle early

Tuber characteristics:

Form oval to longoval
Colour of skin yellow
Colour of flesh light yellow
Size medium to large
Number medium to high
Depth of eyes flat

Susceptibility to diseases:

Wart susceptible
Nematodes resistant to Ro1 and Ro4
Leaf roll virus low
Virus Y very low
Foliage blight medium to low
Tuber blight low
Common scab low to medium
Rhizoctonia low

Utilisation:

mainly firm cooking table potato

Remarks:

regular shape, nice skin, suitable for organic farming

**Nieder-
Österreichische
Saatbaugenossenschaft**



registrierte Genossenschaft mit beschränkter Haftung


Meires 25, 3841 Windigsteig, Österreich

T +43 2842 52402 F +43 2842 52402 41

meires@noes.at www.noes.at

MEICHIP

floury cooking



MEICHIP

Breeder: NÖS
Maturity: late

Tuber characteristics:

Form round oval
Colour of skin yellow
Colour of flesh light yellow to yellow
Size medium to large
Number high
Depth of eyes flat

Susceptibility to diseases:

Wart susceptible
Nematodes resistant to Ro1
Leaf roll virus medium
Virus Y low to medium
Foliage blight medium
Tuber blight low to medium
Common scab medium
Rhizoctonia low

Utilisation:

suitable for crisping and flakes

Remarks:

excellent frying quality, quite high tuberisation, high tuber yields and stable tuber shape, long-term storage

**Nieder-
Österreichische
Saatbaugenossenschaft**



registrierte Genossenschaft mit beschränkter Haftung

Meires 25, 3841 Windigsteig, Österreich

T +43 2842 52402 F +43 2842 52402 41

meires@noes.at www.noes.at

MEIRESKA

mainly firm cooking



MEIRESKA

Breeder: NÖS
Maturity: early to middle early

Tuber characteristics:

Form oval
Colour of skin red
Colour of flesh light yellow
Size medium to large
Number medium
Depth of eyes flat

Susceptibility to diseases:

Wart susceptible
Nematodes resistant to Ro1 and Ro4
Leaf roll virus low
Virus Y very low
Foliage blight medium
Tuber blight low to medium
Common scab low
Rhizoctonia low

Utilisation:

mainly firm cooking table potato

Remarks:

stable tuber shape; very good cooking quality

**Nieder-
Österreichische
Saatbaugenossenschaft**



registrierte Genossenschaft mit beschränkter Haftung

Meires 25, 3841 Windigsteig, Österreich

T +43 2842 52402 F +43 2842 52402 41

meires@noes.at www.noes.at

NAGLERNER KIPFLER

firm cooking



NAGLERNER KIPFLER

Breeder: NÖS
Maturity: middle early

Tuber characteristics:

Form long, kidney-shaped
Colour of skin yellow
Colour of flesh yellow to light yellow
Size medium
Number high
Depth of eyes flat to medium

Susceptibility to diseases:

Wart susceptible
Nematodes susceptible
Leaf roll virus medium
Virus Y high
Foliage blight very high
Tuber blight medium
Common scab low to medium
Rhizoctonia low to medium

Utilisation:

extremely firm cooking table potato, especially suitable for salads

Remarks:

regular treatment against foliage blight is absolutely necessary

**Nieder-
Österreichische
Saatbaugenossenschaft**



registrierte Genossenschaft mit beschränkter Haftung

Meires 25, 3841 Windigsteig, Österreich

T +43 2842 52402 F +43 2842 52402 41

meires@noes.at www.noes.at

NÖSTLING

mainly firm cooking



NÖSTLING

Breeder: NÖS
Maturity: early

Tuber characteristics:

Form oval
Colour of skin light yellow
Colour of flesh light yellow
Size large
Number medium
Depth of eyes flat

Susceptibility to diseases:

Wart resistant to pathotype 1
Nematodes resistant to Ro1
Leaf roll virus low
Virus Y low
Foliage blight medium
Tuber blight medium
Common scab low
Rhizoctonia low

Utilisation:

mainly firm cooking table potato, variety for pregermination

Remarks:

beautiful appearance, attractive tubers and stable shape,
high marketable yield, large tubers

**Nieder-
Österreichische
Saatbaugenossenschaft**



registrierte Genossenschaft mit beschränkter Haftung

Meires 25, 3841 Windigsteig, Österreich

T +43 2842 52402 F +43 2842 52402 41

meires@noes.at www.noes.at

PEPINO

mainly firm cooking



PEPINO

Breeder: NÖS
Maturity: early to middle late

Tuber characteristics:

Form round oval to round
Colour of skin yellow
Colour of flesh yellow
Size medium
Number medium to high
Depth of eyes flat

Susceptibility to diseases:

Wart susceptible
Nematodes resistant to Ro1 and Ro4
(for both highest number 9)
Leaf roll virus low to medium
Virus Y low
Foliage blight medium
Tuber blight low
Common scab low
Rhizoctonia low

Utilisation:

mainly firm cooking table potato

Remarks:

because of high proportion of medium size and very nice skin suitable for small packages

**Nieder-
Österreichische
Saatbaugenossenschaft**



registrierte Genossenschaft mit beschränkter Haftung

Meires 25, 3841 Windigsteig, Österreich

T +43 2842 52402 F +43 2842 52402 41

meires@noes.at www.noes.at

ROKO

mainly firm cooking



ROKO

Breeder: NÖS
Maturity: middle early

Tuber characteristics:

Form oval
Colour of skin dark red
Colour of flesh cream
Size medium to large
Number medium
Depth of eyes flat

Susceptibility to diseases:

Wart resistant to pathotype 1
Nematodes resistant to Ro1
Leaf roll virus medium
Virus Y very low
Foliage blight medium
Tuber blight low
Common scab low to medium
Rhizoctonia low

Utilisation:

good table potato, mainly firm cooking, slightly floury

Remarks:

interesting taste; very regular in size and shape; good for storage

**Nieder-
Österreichische
Saatbaugenossenschaft**



registrierte Genossenschaft mit beschränkter Haftung

Meires 25, 3841 Windigsteig, Österreich

T +43 2842 52402 F +43 2842 52402 41

meires@noes.at www.noes.at

ROMINA

mainly firm cooking



ROMINA

Breeder: NÖS
Maturity: early

Tuber characteristics:

Form round oval
Colour of skin yellow
Colour of flesh light yellow
Size medium to large
Number medium
Depth of eyes flat

Susceptibility to diseases:

Wart resistant to pathotype 1
Nematodes resistant to Ro1
Leaf roll virus low to medium
Virus Y medium
Foliage blight medium
Tuber blight low to medium
Common scab low
Rhizoctonia medium

Utilisation:

table potato, also suitable for the production of french fries and crisps

Remarks:

fine taste, very regular in size and shape, sensitive to long periods of drought

**Nieder-
Österreichische
Saatbaugenossenschaft**



registrierte Genossenschaft mit beschränkter Haftung

Meires 25, 3841 Windigsteig, Österreich

T +43 2842 52402 F +43 2842 52402 41

meires@noes.at www.noes.at

SIEGFRIED

floury cooking



SIEGFRIED

Breeder: NÖS
Maturity: middle late

Tuber characteristics:

Form round oval
Colour of skin yellow
Colour of flesh light yellow
Size medium
Number medium
Depth of eyes medium

Susceptibility to diseases:

Wart resistant to pathotype 1
Nematodes resistant to Ro1 and Ro4
Leaf roll virus medium
Virus Y very low
Foliage blight low to medium
Tuber blight low
Common scab low to medium
Rhizoctonia low

Utilisation:

crisps and puree

Remarks:

quick development in juvenile stage, late tuber setting

**Nieder-
Österreichische
Saatbaugenossenschaft**



registrierte Genossenschaft mit beschränkter Haftung

Meires 25, 3841 Windigsteig, Österreich

T +43 2842 52402 F +43 2842 52402 41

meires@noes.at www.noes.at

SIXTUS



SIXTUS

Breeder: NÖS

Maturity: late

Tuber characteristics:

Form round oval

Colour of skin yellow

Colour of flesh light yellow to cream

Size medium to large

Number medium

Depth of eyes medium

Susceptibility to diseases:

Wart resistant to pathotype 1, 2, 6, 18

Nematodes resistant to Ro1 and Ro4

Leaf roll virus low

Virus Y very low

Foliage blight low to medium

Tuber blight low

Common scab low to medium

Rhizoctonia low to medium

Utilisation:

starch potato

Remarks:

stable in starch yield, resistant against heat and dryness



registrierte Genossenschaft mit beschränkter Haftung


Meires 25, 3841 Windigsteig, Österreich

T +43 2842 52402 F +43 2842 52402 41

meires@noes.at www.noes.at

SOKRATES

floury cooking



SOKRATES

Breeder: NÖS
Maturity: middle early to middle late

Tuber characteristics:

Form long oval
Colour of skin yellow
Colour of flesh light yellow to yellow
Size large
Number low to medium
Depth of eyes flat to medium

Susceptibility to diseases:

Wart susceptible
Nematodes resistant to Ro1 and Ro4
Leaf roll virus low
Virus Y medium
Foliage blight low to medium
Tuber blight low
Common scab low to medium
Rhizoctonia low

Utilisation:

floury cooking table potato, especially for french fries

Remarks:

very regular in shape, good for storage

**Nieder-
Österreichische
Saatbaugenossenschaft**



registrierte Genossenschaft mit beschränkter Haftung

Meires 25, 3841 Windigsteig, Österreich

T +43 2842 52402 F +43 2842 52402 41

meires@noes.at www.noes.at

TOSCA

mainly firm cooking



TOSCA

Breeder: NÖS
Maturity: middle early to middle late

Tuber characteristics:

Form oval
Colour of skin yellow
Colour of flesh yellow
Size medium to large
Number medium
Depth of eyes flat

Susceptibility to diseases:

Wart susceptible
Nematodes resistant to Ro1 and Ro4
Leaf roll virus low
Virus Y medium
Foliage blight medium
Tuber blight low
Common scab low
Rhizoctonia low

Utilisation:

mainly firm cooking table potato

Remarks:

very good for storage; very regular in size and shape; excellent for packing

**Nieder-
Österreichische
Saatbaugenossenschaft**




registrierte Genossenschaft mit beschränkter Haftung

Meires 25, 3841 Windigsteig, Österreich

T +43 2842 52402 F +43 2842 52402 41

meires@noes.at www.noes.at

TRABANT



TRABANT

Breeder: NÖS
Maturity: middle late to late

Tuber characteristics:

Form round oval to round
Colour of skin yellow
Colour of flesh light yellow
Size medium
Number medium to high
Depth of eyes flat to medium

Susceptibility to diseases:

Wart resistant to pathotype 1
Nematodes resistant to Ro1 to Ro5
Leaf roll virus low to medium
Virus Y very low
Foliage blight low
Tuber blight very low
Common scab low
Rhizoctonia low to medium

Utilisation:

starch potato

Remarks:

regular in size; good for storage; stable yields

**Nieder-
Österreichische
Saatbaugenossenschaft**



registrierte Genossenschaft mit beschränkter Haftung


Meires 25, 3841 Windigsteig, Österreich

T +43 2842 52402 F +43 2842 52402 41

meires@noes.at www.noes.at

VALDIVIA

firm cooking



VALDIVIA

Breeder: NÖS
Maturity: middle early

Tuber characteristics:

Form long oval
Colour of skin yellow
Colour of flesh yellow
Size medium
Number high
Depth of eyes flat

Susceptibility to diseases:

Wart susceptible
Nematodes resistant to Ro1 to Ro5
Leaf roll virus low
Virus Y very low
Foliage blight medium
Tuber blight low
Common scab low
Rhizoctonia low

Utilisation:

firm cooking table potato, special salad-potato

Remarks:

nice skin, regular in size and shape

**Nieder-
Österreichische
Saatbaugenossenschaft**




registrierte Genossenschaft mit beschränkter Haftung

Meires 25, 3841 Windigsteig, Österreich

T +43 2842 52402 F +43 2842 52402 41

meires@noes.at www.noes.at

XERXES



XERXES

Breeder: NÖS

Maturity: late

Tuber characteristics:

Form round oval

Colour of skin yellow

Colour of flesh white

Size medium

Number medium to high

Depth of eyes flat to medium

Susceptibility to diseases:

Wart susceptible

Nematodes resistant to Ro1 and Ro4

Leaf roll virus low

Virus Y very low

Foliage blight low to medium

Tuber blight low

Common scab low

Rhizoctonia low

Utilisation:

starch potato

Remarks:

regular in size, good for storage

NOTES

NOTES

NOTES

NOTES

NÖS



Meires 25, 3841 Windigsteig, Österreich
T +43 2842 52402
meires@noes.at
www.noes.at