

**N
Ö
Seed potatoes**



**CATALOGUE OF VARIETIES
2026 - 2027**



**Nieder-
Österreichische
Saatbaugenossenschaft**



registrierte Genossenschaft mit beschränkter Haftung

Central Office:
**Meires 25
3841 Windigsteig**

Testing Station:
**Naglarn 1
2113 Karnabrunn**

IMPORTANT NUMBERS

CENTRAL OFFICE, MEIRES

Phone: +43 2842 52402
Mail: meires@noes.at
Web: www.noes.at

Office:

Maria Knoll
Phone: +43 2842 52402 10
Mail: knoll@noes.at

Company Management:

DI Michael Buxbaum
Phone: +43 2842 52402 11
Mobile: +43 664 1122107
Mail: buxbaum@noes.at

Sales dep.:

Ing. Patrick Scharf
Phone: +43 2842 52402 12
Mobile: +43 664 1855204
Mail: scharf@noes.at

Accounting:

Herbert Litschauer
Phone: +43 2842 52402 14
Mail: litschauer@noes.at

Breeding:

DI Susanne Kirchmaier
Phone: +43 2842 52402 15
Mobile: +43 664 2335436
Mail: kirchmaier@noes.at

MEMBERS' SUPPORT

Leiser Berge:

Testing Station, Naglern
Phone: +43 2576 2910
Mail: naglern@noes.at

Georg Kloiber
Mobile: +43 664 1122106
Mail: kloiber@noes.at

MEMBERS' SUPPORT

Gmünd/Waidhofen:

Harald Binder
Mobile: +43 664 1122109
Mail: binder@noes.at

Zwettl:

Manfred Kolm
Mobile: +43 664 1122108
Mail: kolm@noes.at

Oberösterreich:

Georg Kloiber
Mobile: +43 664 1122106
Mail: kloiber@noes.at

Overview of all N Ö S – breedings

From our current programme:

year of entry in stud book	variety	biggest cultivation area	
		hectare	year
1956	N. Kipfler	10	1976
1973	Hermes	245	1992
1989	Ditta	423	2008
1993	Bionta	8	1996
2002	Tosca	121	2017
2006	Fabiola	51	2014
2008	Erika	71	2011
2009	Martina	16	2017
2011	Alonso	23	2026
2011	Diego	11	2025
2012	Galata	8	2017
2012	Bosco	14	2016
2012	Marizza	14	2025
2013	Valdivia	116	2020
2013	Trabant	25	2018
2014	Sokrates	7	2018
2014	Xerxes	22	2020
2015	Meireska	9	2018
2017	Graziosa	19	2026
2018	Pepino	4	2026
2019	Herbstgold	11	2026
2019	Chiara	21	2024
2019	Siegfried	5	2022
2019	Sixtus	16	2026
2020	Longinus	6	2026
2021	Nöstling	39	2026
2021	Meichip	24	2026
2022	Violet Star	2	2025
2023	Benjamin	11	2026
2023	Lisbeth	5	2025
2024	Fred	1	2026
2025	La Bomba	3	2026

Right now there are 31 of our own varieties occupying 610 ha in sum, these are about 47 % of the total area.



ALONSO

mainly firm cooking



ALONSO

Breeder: NÖS
Maturity: middle early

Tuber characteristics:

Form	round oval
Colour of skin	yellow
Colour of flesh	yellow
Size	medium to large
Number	medium
Depth of eyes	flat

Susceptibility to diseases:

Wart	resistant to pathotype 1
Nematodes	resistant to Ro1 and Ro4
Leaf roll virus	low
Virus Y	very low
Foliage blight	medium
Tuber blight	low
Common scab	low to medium
Rhizoctonia	low

Utilisation:

mainly firm cooking table potato

Remarks:

early tuber setting, therefore early harvest is possible;
for early harvest it should be presprouted



BENJAMIN

mainly firm cooking



BENJAMIN

Breeder: NÖS
Maturity: middle early

Tuber characteristics:

Form	round oval
Colour of skin	yellow
Colour of flesh	light yellow to yellow
Size	large
Number	medium
Depth of eyes	medium to flat

Susceptibility to diseases:

Wart	resistant to pathotype 1
Nematodes	resistant to Ro1
Leaf roll virus	medium to low
Virus Y	low
Foliage blight	medium to low
Tuber blight	medium
Common scab	medium
Rhizoctonia	medium to low

Utilisation:

mainly firm cooking table potato

Remarks:

particularly good taste, large tubers



BIONTA

mainly firm cooking



BIONTA

Breeder: NÖS
Maturity: late

Tuber characteristics:

Form	round oval
Colour of skin	yellow
Colour of flesh	yellow
Size	medium to large
Number	medium to high
Depth of eyes	flat to medium

Susceptibility to diseases:

Wart	susceptible
Nematodes	resistant to Ro1 and Ro4
Leaf roll virus	medium
Virus Y	resistant
Foliage blight	low
Tuber blight	low
Common scab	medium
Rhizoctonia	low to medium

Utilisation:

mainly firm cooking table potato


Remarks:

high yield potential; very good for storage; one of the best varieties in reference to Phytophthora



BOSCO

mealy cooking



BOSCO

Breeder: NÖS
Maturity: middle early

Tuber characteristics:

Form	round oval to oval
Colour of skin	yellow
Colour of flesh	yellow
Size	large
Number	medium
Depth of eyes	flat

Susceptibility to diseases:

Wart	resistant to pathotype 1
Nematodes	resistant to Ro1 and Ro4
Leaf roll virus	medium
Virus Y	very low
Foliage blight	low to medium
Tuber blight	low
Common scab	low
Rhizoctonia	low

Utilisation:

mealy table potato; especially for dumplings and puree


Remarks:

very regular in size



CHIARA

mainly firm cooking



CHIARA

Breeder: NÖS
Maturity: middle early

Tuber characteristics:

Form	oval to round oval
Colour of skin	yellow
Colour of flesh	dark yellow
Size	medium to large
Number	medium
Depth of eyes	flat

Susceptibility to diseases:

Wart	resistant to pathotype 1
Nematodes	resistant to Ro1 and Ro4
Leaf roll virus	low to medium
Virus Y	very low
Foliage blight	low to medium
Tuber blight	low
Common scab	low to medium
Rhizoctonia	low

Utilisation:

mainly firm cooking table potato


Remarks:

small plant but potential to high yield



DIEGO

mealy cooking



DIEGO

Breeder: NÖS

Maturity: late

Tuber characteristics:

Form oval to long oval

Colour of skin yellow

Colour of flesh light yellow to cream

Size large

Number medium

Depth of eyes flat

Susceptibility to diseases:

Wart susceptible

Nematodes resistant to Ro1 and Ro4

Leaf roll virus low

Virus Y very low

Foliage blight low to medium

Tuber blight low to medium

Common scab low

Rhizoctonia low

Utilisation:

especially for french fries


Remarks:

high dormancy, therefore suitable for long storage



DITTA

firm cooking



DITTA

Breeder: NÖS
Maturity: middle early

Tuber characteristics:

Form	long oval
Colour of skin	yellow
Colour of flesh	yellow
Size	medium to large
Number	medium to high
Depth of eyes	flat

Susceptibility to diseases:

Wart	resistant to pathotype 1
Nematodes	resistant to Ro1 and Ro4
Leaf roll virus	medium
Virus Y	low to medium
Foliage blight	medium
Tuber blight	low
Common scab	low to medium
Rhizoctonia	low to medium

Utilisation:

table potato: suitable for many kinds of preparation; also for salad


Remarks:

fine taste; very good for storage; long dormancy; tubers should be stimulated to sprouting before planting



ERIKA

firm cooking



ERIKA

Breeder: NÖS
Maturity: early

Tuber characteristics:

Form	long oval
Colour of skin	yellow
Colour of flesh	light yellow to yellow
Size	medium
Number	medium to high
Depth of eyes	flat

Susceptibility to diseases:

Wart	susceptible
Nematodes	resistant to Ro1 and Ro4
Leaf roll virus	low
Virus Y	very low
Foliage blight	medium
Tuber blight	low
Common scab	low
Rhizoctonia	low

Utilisation:

firm cooking table potato


Remarks:

beautiful skin; in spite of earliness good suitability for storage



FABIOLA

mainly firm cooking



FABIOLA

Breeder: NÖS
Maturity: middle early to middle late

Tuber characteristics:

Form	oval
Colour of skin	red
Colour of flesh	dark yellow
Size	medium to large
Number	medium to high
Depth of eyes	flat

Susceptibility to diseases:

Wart	resistant to pathotype 1
Nematodes	resistant to Ro1 and Ro4
Leaf roll virus	medium
Virus Y	low
Foliage blight	medium
Tuber blight	low to medium
Common scab	low
Rhizoctonia	low

Utilisation:

mainly firm cooking table potato


Remarks:

very high yield potential; very regular in size;
good for storage



FRED

mainly firm cooking



FRED

Breeder: NÖS
Maturity: middle early

Tuber characteristics:

Form	long
Colour of skin	red
Colour of flesh	red
Size	medium
Number	medium
Depth of eyes	flat to medium deep

Susceptibility to diseases:

Wart	susceptible to pathotype 1
Nematodes	susceptible to Ro1
Leaf roll virus	medium
Virus Y	low
Foliage blight	medium to high
Tuber blight	medium
Common scab	low
Rhizoctonia	medium

Utilisation:

mainly firm cooking table potato

Remarks:

good yield



GALATA

mainly firm cooking



GALATA

Breeder: NÖS
Maturity: middle early

Tuber characteristics:

Form	oval
Colour of skin	yellow
Colour of flesh	dark yellow
Size	very large
Number	medium to low
Depth of eyes	flat

Susceptibility to diseases:

Wart	resistant to pathotype 1
Nematodes	resistant to Ro1 and Ro4
Leaf roll virus	medium
Virus Y	medium
Foliage blight	medium
Tuber blight	low
Common scab	low to medium
Rhizoctonia	low

Utilisation:

mainly firm cooking table potato


Remarks:

very regular colour of flesh; in spite of size very regular in shape



GRAZIOSA

firm cooking



GRAZIOSA

Breeder: NÖS
Maturity: early to middle early

Tuber characteristics:

Form	long
Colour of skin	yellow
Colour of flesh	yellow
Size	medium
Number	high
Depth of eyes	flat

Susceptibility to diseases:

Wart	resistant to pathotype 1
Nematodes	resistant to Ro1 and Ro4
Leaf roll virus	low
Virus Y	very low
Foliage blight	medium
Tuber blight	low
Common scab	low
Rhizoctonia	low

Utilisation:

firm cooking table potato; especially salad-potato

Remarks:

nice skin; very fine taste



HERBSTGOLD

mainly firm cooking



HERBSTGOLD

Breeder: NÖS
Maturity: middle late

Tuber characteristics:

Form	oval to round oval
Colour of skin	yellow
Colour of flesh	yellow
Size	medium to large
Number	medium
Depth of eyes	flat

Susceptibility to diseases:

Wart	resistant to pathotype 1
Nematodes	resistant to Ro1 and Ro4
Leaf roll virus	low to medium
Virus Y	very low
Foliage blight	low to medium
Tuber blight	low
Common scab	low to medium
Rhizoctonia	low

Utilisation:

mainly firm cooking table potato

Remarks:

regular in size, resistant against heat and dryness



HERMES

mealy cooking



HERMES

Breeder: NÖS
Maturity: middle early

Tuber characteristics:

Form	round oval
Colour of skin	yellow
Colour of flesh	yellow
Size	medium to large
Number	medium
Depth of eyes	medium

Susceptibility to diseases:

Wart	resistant to pathotype 1
Nematodes	susceptible
Leaf roll virus	low to medium
Virus Y	low to medium
Foliage blight	medium
Tuber blight	low
Common scab	low to medium
Rhizoctonia	low

Utilisation:

mealy table potato, very good suitability for
crisping and puree

Remarks:

rather early with high starch content



LA BOMBA

mainly firm cooking



LA BOMBA

Breeder: NÖS
Maturity: early to middle early

Tuber characteristics:

Form	oval
Colour of skin	yellow
Colour of flesh	light yellow
Size	middle to large
Number	medium
Depth of eyes	flat

Susceptibility to diseases:

Wart	resistant to pathotype 1
Nematodes	resistant to Ro1 and Ro4
Leaf roll virus	medium
Virus Y	low
Foliage blight	medium
Tuber blight	low
Common scab	low
Rhizoctonia	low

Utilisation:

mainly firm cooking table potato

Remarks:

regular big tubers, low susceptibility to damage, long seed dormancy, late emergence but then very rapid growth



LISBETH

mainly firm cooking



LISBETH

Breeder: NÖS
Maturity: early to middle early

Tuber characteristics:

Form	round oval
Colour of skin	yellow
Colour of flesh	yellow
Size	large
Number	medium
Depth of eyes	flat to medium

Susceptibility to diseases:

Wart	resistant to pathotype 1
Nematodes	resistant to Ro1
Leaf roll virus	medium
Virus Y	low
Foliage blight	medium
Tuber blight	medium
Common scab	low to medium
Rhizoctonia	medium to low

Utilisation:

mainly firm cooking table potato


Remarks:

middle early, high marketable yield



LONGINUS

mealy cooking



LONGINUS

Breeder: NÖS
Maturity: middle late

Tuber characteristics:

Form	longoval to long
Colour of skin	yellow
Colour of flesh	cream to light yellow
Size	large
Number	medium
Depth of eyes	flat

Susceptibility to diseases:

Wart	resistant to pathotype 1
Nematodes	resistant to Ro1
Leaf roll virus	low
Virus Y	very low
Foliage blight	low to medium
Tuber blight	low
Common scab	low
Rhizoctonia	low to medium

Utilisation:

mealy table potato, especially for french fries

Remarks:

comparatively high starch content in relation to whole French Fries-assortment; in spite of length with stable shape of tuber



MARIZZA

mainly firm cooking



MARIZZA

Breeder: NÖS
Maturity: middle early

Tuber characteristics:

Form	oval
Colour of skin	red
Colour of flesh	yellow
Size	large
Number	medium
Depth of eyes	flat

Susceptibility to diseases:

Wart	resistant to pathotype 1
Nematodes	resistant to Ro1 and Ro4
Leaf roll virus	medium
Virus Y	very low
Foliage blight	low to medium
Tuber blight	low to medium
Common scab	low
Rhizoctonia	low

Utilisation:

mainly firm cooking table potato


Remarks:

intensive red coloration; very regular in size



MARTINA

mainly firm cooking



MARTINA

Breeder: NÖS
Maturity: middle early

Tuber characteristics:

Form	oval to longoval
Colour of skin	yellow
Colour of flesh	light yellow
Size	medium to large
Number	medium to high
Depth of eyes	flat

Susceptibility to diseases:

Wart	susceptible
Nematodes	resistant to Ro1 and Ro4
Leaf roll virus	low
Virus Y	very low
Foliage blight	medium to low
Tuber blight	low
Common scab	low to medium
Rhizoctonia	low

Utilisation:

mainly firm cooking table potato

Remarks:

regular shape, nice skin, suitable for organic farming



MEICHIP

mealy cooking



MEICHIP

Breeder: NÖS
Maturity: middle late

Tuber characteristics:

Form	round oval
Colour of skin	yellow
Colour of flesh	light yellow to yellow
Size	medium to large
Number	high
Depth of eyes	flat

Susceptibility to diseases:

Wart	susceptible
Nematodes	resistant to Ro1
Leaf roll virus	medium
Virus Y	low to medium
Foliage blight	medium
Tuber blight	low to medium
Common scab	medium
Rhizoctonia	low

Utilisation:

suitable for crisping and flakes

Remarks:

excellent frying quality, quite high tuberisation, high tuber yields and stable tuber shape, long-term storage



MEIRESKA

mainly firm cooking



MEIRESKA

Breeder: NÖS
Maturity: early to middle early

Tuber characteristics:

Form	oval
Colour of skin	red
Colour of flesh	light yellow
Size	medium to large
Number	medium
Depth of eyes	flat

Susceptibility to diseases:

Wart	susceptible
Nematodes	resistant to Ro1 and Ro4
Leaf roll virus	low
Virus Y	very low
Foliage blight	medium
Tuber blight	low to medium
Common scab	low
Rhizoctonia	low

Utilisation:

mainly firm cooking table potato

Remarks:

stable tuber shape; very good cooking quality



NAGLERNER KIPFLER

firm cooking



NAGLERNER KIPFLER

Breeder: NÖS
Maturity: middle early

Tuber characteristics:

Form	long, kidney-shaped
Colour of skin	yellow
Colour of flesh	yellow to light yellow
Size	medium
Number	high
Depth of eyes	flat to medium

Susceptibility to diseases:

Wart	susceptible
Nematodes	susceptible
Leaf roll virus	medium
Virus Y	high
Foliage blight	very high
Tuber blight	medium
Common scab	low to medium
Rhizoctonia	low to medium

Utilisation:

extremely firm cooking table potato, especially suitable for salads

Remarks:

regular treatment against foliage blight is absolutely necessary



NÖSTLING

mainly firm cooking



NÖSTLING

Breeder: NÖS
Maturity: very early

Tuber characteristics:

Form	oval
Colour of skin	light yellow
Colour of flesh	light yellow
Size	large
Number	medium
Depth of eyes	flat

Susceptibility to diseases:

Wart	resistant to pathotype 1
Nematodes	resistant to Ro1
Leaf roll virus	low
Virus Y	low
Foliage blight	medium
Tuber blight	medium
Common scab	low
Rhizoctonia	low

Utilisation:

mainly firm cooking table potato, variety for pregermination

Remarks:

beautiful appearance, attractive tubers and stable shape,
high marketable yield, large tubers



PEPINO

mainly firm cooking



PEPINO

Breeder: NÖS
Maturity: early to middle late

Tuber characteristics:

Form	round oval to round
Colour of skin	yellow
Colour of flesh	yellow
Size	medium
Number	medium to high
Depth of eyes	flat

Susceptibility to diseases:

Wart	susceptible
Nematodes	resistant to Ro1 and Ro4 (for both highest number 9)
Leaf roll virus	low to medium
Virus Y	low
Foliage blight	medium
Tuber blight	low
Common scab	low
Rhizoctonia	low

Utilisation:

mainly firm cooking table potato

Remarks:

because of high proportion of medium size and
very nice skin suitable for small packages



SIEGFRIED

mealy cooking



SIEGFRIED

Breeder: NÖS
Maturity: middle late

Tuber characteristics:

Form	round oval
Colour of skin	yellow
Colour of flesh	light yellow
Size	medium
Number	medium
Depth of eyes	medium

Susceptibility to diseases:

Wart	resistant to pathotype 1
Nematodes	resistant to Ro1 and Ro4
Leaf roll virus	medium
Virus Y	very low
Foliage blight	low to medium
Tuber blight	low
Common scab	low to medium
Rhizoctonia	low

Utilisation:

crisps and puree

Remarks:

quick development in juvenile stage, late tuber setting



SIXTUS



SIXTUS

Breeder: NÖS

Maturity: late

Tuber characteristics:

Form	round oval
Colour of skin	yellow
Colour of flesh	light yellow to cream
Size	medium to large
Number	medium
Depth of eyes	medium

Susceptibility to diseases:

Wart	resistant to pathotype 1, 2, 6, 18
Nematodes	resistant to Ro1 and Ro4
Leaf roll virus	low
Virus Y	very low
Foliage blight	low to medium
Tuber blight	low
Common scab	low to medium
Rhizoctonia	low to medium

Utilisation:

starch potato


Remarks:

stable in starch yield, resistant against heat and drought



SOKRATES

mealy cooking



SOKRATES

Breeder: NÖS
Maturity: middle early to middle late

Tuber characteristics:

Form long oval
Colour of skin yellow
Colour of flesh light yellow to yellow
Size large
Number low to medium
Depth of eyes flat to medium

Susceptibility to diseases:

Wart susceptible
Nematodes resistant to Ro1 and Ro4
Leaf roll virus low
Virus Y medium
Foliage blight low to medium
Tuber blight low
Common scab low to medium
Rhizoctonia low

Utilisation:

mealy cooking table potato; especially for french fries


Remarks:

very regular in shape; good for storage



TOSCA

mainly firm cooking



TOSCA

Breeder: NÖS
Maturity: middle early to middle late

Tuber characteristics:

Form	oval
Colour of skin	yellow
Colour of flesh	yellow
Size	medium to large
Number	medium
Depth of eyes	flat

Susceptibility to diseases:

Wart	susceptible
Nematodes	resistant to Ro1 and Ro4
Leaf roll virus	low
Virus Y	medium
Foliage blight	medium
Tuber blight	low
Common scab	low
Rhizoctonia	low

Utilisation:


mainly firm cooking table potato

Remarks:

very good for storage; very regular in size and shape; excellent for packing



TRABANT



TRABANT

Breeder: NÖS
Maturity: middle late to late

Tuber characteristics:

Form	round oval to round
Colour of skin	yellow
Colour of flesh	light yellow
Size	medium
Number	medium to high
Depth of eyes	flat to medium

Susceptibility to diseases:

Wart	resistant to pathotype 1
Nematodes	resistant to Ro1 to Ro5
Leaf roll virus	low to medium
Virus Y	very low
Foliage blight	low
Tuber blight	very low
Common scab	low
Rhizoctonia	low to medium

Utilisation:

starch potato

Remarks:

regular in size; good for storage; stable yields



VALDIVIA

firm cooking



VALDIVIA

Breeder: NÖS
Maturity: middle early

Tuber characteristics:

Form	long oval
Colour of skin	yellow
Colour of flesh	yellow
Size	medium
Number	high
Depth of eyes	flat

Susceptibility to diseases:

Wart	susceptible
Nematodes	resistant to Ro1 to Ro5
Leaf roll virus	low
Virus Y	very low
Foliage blight	medium
Tuber blight	low
Common scab	low
Rhizoctonia	low

Utilisation:

firm cooking table potato, special salad-potato

Remarks:

nice skin, regular in size and shape



VIOLET STAR

mealy cooking



VIOLET STAR

Breeder: NÖS

Maturity: late

Tuber characteristics:

Form	round oval
Colour of skin	purple
Colour of flesh	purple
Size	medium - large
Number	medium
Depth of eyes	medium

Susceptibility to diseases:

Wart	susceptible
Nematodes	resistant to Ro1
Leaf roll virus	medium
Virus Y	very low
Foliage blight	medium
Tuber blight	low to medium
Common scab	low
Rhizoctonia	low

Utilisation:

mealy cooking, ideal for mashed potatoes, rarity

Remarks:

high starch content, very robust variety



XERXES



XERXES

Breeder: NÖS

Maturity: late

Tuber characteristics:

Form	round oval
Colour of skin	yellow
Colour of flesh	white
Size	medium
Number	medium to high
Depth of eyes	flat to medium

Susceptibility to diseases:

Wart	susceptible
Nematodes	resistant to Ro1 and Ro4
Leaf roll virus	low
Virus Y	very low
Foliage blight	low to medium
Tuber blight	low
Common scab	low
Rhizoctonia	low

Utilisation:

starch potato

Remarks:

regular in size, good for storage

NOTES

NOTES

NOTES

NOTES

NOTES

NOTES

NÖS



Meires 25, 3841 Windigsteig, Österreich
T +43 2842 52402
meires@noes.at
www.noes.at